



Industrial Hygiene

MAR 23 1990

MATERIAL SAFETY DATA SHEET

PRODUCT SOLUTION S0428 W DPD FREE CL2

Emergency Telephone Number

Medical (312) 920-1510 (24 hours)*

*Effective November 11, 1989, the area code will be changed to 708.

SECTION 1 PRODUCT IDENTIFICATION

TRADE NAME: SOLUTION S0428 W DPD FREE CL2

DESCRIPTION: DPD free chlorine reagent in powder pillows

NFPA 704M/HMIS RATING: 1/1 HEALTH 0/0 FLAMMABILITY 0/0 REACTIVITY 0 OTHER
0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme

SECTION 2 HAZARDOUS INGREDIENTS

Our hazard evaluation has identified the following chemical ingredient(s) as hazardous. One or more is being claimed as a trade secret under OSHA's Hazard Communication Rule, 29 CFR 1910.1200. Consult Section 14 for the nature of the hazard(s).

INGREDIENT(S)	CAS #	APPROX. %
Proprietary chemical	Confidential	1-10
Potassium phosphate	7778-77-0	40+
Sodium phosphate	7558-79-4	40+

SECTION 3 PRECAUTIONARY LABEL INFORMATION

CAUTION: May cause irritation to skin and eyes. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Avoid breathing dust. Do not take internally.

Empty containers may contain residual product. Do not reuse container unless properly reconditioned.

SECTION 4 FIRST AID INFORMATION

EYES: Flush with water for 15 minutes. Call a physician.
SKIN: Wash thoroughly with soap and rinse with water. Call a physician.

NOTE TO PHYSICIAN: No specific antidote is known. Based on the individual reactions of the patient, the physician's judgment should be used to control symptoms and clinical condition.

CAUTION: If unconscious, having trouble breathing or in convulsions, do not induce vomiting or give water.

SECTION 5 HEALTH EFFECTS INFORMATION

PRIMARY ROUTE(S) OF EXPOSURE: Eye, Skin



MATERIAL SAFETY DATA SHEET

PRODUCT SOLUTION S0428 W DPD FREE CL2

Emergency Telephone Number

Medical (312) 920-1510 (24 hours)*

*Effective November 11, 1989, the area code will be changed to 708.

SECTION 5 HEALTH EFFECTS INFORMATION

(CONTINUED)

EYE CONTACT: Can cause moderate irritation.

SKIN CONTACT: May cause irritation with prolonged contact.

SYMPTOMS OF EXPOSURE: A review of available data does not identify any symptoms from exposure not previously mentioned, or identified in Section 6 or 14.

AGGRAVATION OF EXISTING CONDITIONS: A review of available data does not identify any worsening of existing conditions not previously mentioned, or identified in Section 6 or 14.

SECTION 6 TOXICOLOGY INFORMATION

ACUTE TOXICITY STUDIES: No toxicity studies have been conducted on this product.

SECTION 7 PHYSICAL AND CHEMICAL PROPERTIES

COLOR: White

FORM: Powder

ODOR: None

SOLUBILITY IN WATER:

Completely

pH (NEAT) =

Not applicable

FLASH POINT:

Not applicable

NOTE: These physical properties are typical values for this product.

SECTION 8 FIRE AND EXPLOSION INFORMATION

FLASH POINT: Not applicable.

EXTINGUISHING MEDIA: Not applicable.

UNUSUAL FIRE AND EXPLOSION HAZARD: None.

SECTION 9 REACTIVITY INFORMATION

INCOMPATIBILITY: None known.

THERMAL DECOMPOSITION PRODUCTS: In the event of combustion CO, CO₂, NO_x may be formed. Do not breathe smoke or fumes. Wear suitable protective equipment.

SECTION 10 PERSONAL PROTECTION EQUIPMENT

RESPIRATORY PROTECTION: Respiratory protection not normally needed.



MATERIAL SAFETY DATA SHEET

PRODUCT SOLUTION S0428 W DPD FREE CL2

Emergency Telephone Number

Medical (312) 920-1510 (24 hours)*

*Effective November 11, 1989, the area code will be changed to 708.

SECTION 10 PERSONAL PROTECTION EQUIPMENT

(CONTINUED)

For large spills, entry into large tanks, vessels or enclosed small spaces with inadequate ventilation, a pressure-demand, self-contained breathing apparatus is recommended.

VENTILATION: If significant dusting occurs, local exhaust ventilation is recommended.

PROTECTIVE EQUIPMENT: No special precautions. Avoid eye and skin contact, and inhalation of dust.

SECTION 11 SPILL AND DISPOSAL INFORMATION

IN CASE OF TRANSPORTATION ACCIDENTS, CALL THE FOLLOWING 24-HOUR TELEPHONE NUMBER (708-920-1510)

SPILL CONTROL AND RECOVERY:

Solid spills: Sweep or vacuum up and place in solid waste container.

DISPOSAL: If this product becomes a waste, it does not meet the criteria of a hazardous waste as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261, since it does not have the characteristics of Subpart C, (i.e. D001 through D017) nor is it listed under Subpart D.

As a non-hazardous solid waste, it can be disposed of in the garbage collection container.

Empty product containers if plastic, should be punctured, and placed in the garbage collection container.

SECTION 12 ENVIRONMENTAL INFORMATION

If released into the environment, see CERCLA in Section 14.

SECTION 13 TRANSPORTATION INFORMATION

DOT PROPER SHIPPING NAME/HAZARD CODE - PRODUCT IS NOT REGULATED DURING TRANSPORTATION

SECTION 14 REGULATORY INFORMATION

The following regulations apply to this product.



MATERIAL SAFETY DATA SHEET

PRODUCT SOLUTION S0428 W DPD FREE CL2

Emergency Telephone Number

Medical (312) 920-1510 (24 hours)*

*Effective November 11, 1989, the area code will be changed to 708.

SECTION 14 REGULATORY INFORMATION

(CONTINUED)

FEDERAL REGULATIONS:

OSHA HAZARD COMMUNICATION RULE, 29 CFR 1910.1200:

Based on our hazard evaluation, the following ingredients in this product are hazardous and the reasons are shown below.

Potassium and sodium phosphates - Irritant
Proprietary chemical - Irritant

CERCLA/SUPERFUND, 40 CFR 117, 302:

This product contains sodium phosphate, dibasic, a Reportable Quantity (RQ) substance and if 20,000 pounds of product are released, it requires notification to the NATIONAL RESPONSE CENTER, WASHINGTON, D. C. (1-800-424-8802).

SARA/SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986
(TITLE III) - SECTIONS 302, 311, 312 AND 313:

SECTION 302 - EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355):

This product does not contain ingredients listed in Appendix A and B as an Extremely Hazardous Substance.

SECTIONS 311 and 312 - MATERIAL SAFETY DATA SHEET REQUIREMENTS
(40 CFR 370):

Our hazard evaluation has found this product to be hazardous. The product should be reported under the following EPA hazard categories:

XX Immediate (acute) health hazard
-- Delayed (chronic) health hazard
-- Fire hazard
-- Sudden release of pressure hazard
-- Reactive hazard

Under Section 311, submittal of MSDS's or a list of product names to the local emergency planning commission, state emergency response commission and local fire department is required after October 17, 1987 if you have:

- 10,000 pounds or more of a hazardous substance, or
- 500 pounds or the threshold planning quantity, whichever is less, of an extremely hazardous substance.

After October 17, 1989, MSDS(s), or a list of product names for all hazardous substances between zero (0) and 10,000 pounds, not previously reported, must be submitted.



MATERIAL SAFETY DATA SHEET

PRODUCT SOLUTION S0428 W DPD FREE CL2

Emergency Telephone Number

Medical (312) 920-1510 (24 hours)*

*Effective November 11, 1989, the area code will be changed to 708.

SECTION 14 REGULATORY INFORMATION

(CONTINUED)

SECTION 313 - LIST OF TOXIC CHEMICALS (40 CFR 372):

This product does not contain ingredients (at a level of 1% or greater) on the List of Toxic Chemicals.

TOXIC SUBSTANCES CONTROL ACT (TSCA):

The chemical ingredients in this product are on the 8(b) Inventory List (40 CFR 710).

RESOURCE CONSERVATION AND RECOVERY ACT (RCRA), 40 CFR 261 SUBPART C & D:

If this product becomes a waste, it does not meet the criteria of a hazardous waste.

FEDERAL WATER POLLUTION CONTROL ACT, CLEAN WATER ACT, 40 CFR 401.15/ formerly Sec. 307, 40 CFR 116/formerly Sec. 311:

This product contains the following ingredient covered by the Clean Water Act:

Sodium phosphate, basic - Section 311

CLEAN AIR ACT, 40 CFR 60, SECTION 111, 40 CFR 61, SECTION 112:

This product does not contain ingredients covered by the Clean Air Act.

STATE REGULATIONS:

CALIFORNIA PROPOSITION 65:

None of the chemicals on the current Proposition 65 list are known to be present in this product.

MICHIGAN CRITICAL MATERIALS:

This product does not contain ingredients listed on the Michigan Critical Materials Register.

STATE RIGHT TO KNOW LAWS:

The following states identify the ingredient shown below as hazardous:

New Jersey, Pennsylvania - Sodium phosphate, dibasic

SECTION 15 ADDITIONAL INFORMATION

None



MATERIAL SAFETY DATA SHEET

PRODUCT SOLUTION S0428 W DPD FREE CL2

Emergency Telephone Number

Medical (312) 920-1510 (24 hours)*

*Effective November 11, 1989, the area code will be changed to 708.

SECTION 16 USER'S RESPONSIBILITY

This product material safety data sheet provides health and safety information. The product is to be used in applications consistent with our product literature. Individuals handling this product should be informed of the recommended safety precautions and should have access to this information. For any other uses, exposures should be evaluated so that appropriate handling practices and training programs can be established to ensure safe workplace operations. Please consult your local sales representative for any further information.

SECTION 17 BIBLIOGRAPHY

ANNUAL REPORT ON CARCINOGENS, U.S. Department of Health and Human Services, Public Health Service, PB 33-135855, 1983.

CASARETT AND DOULL'S TOXICOLOGY, THE BASIC SCIENCE OF POISONS, Doull, J., Klaassen, C. D., and Admur, M. O., eds., Macmillian Publishing Company, Inc., N. Y., 2nd edition, 1980.

CHEMICAL HAZARDS OF THE WORKPLACE, Proctor, N. H., and Hughes, J. P., eds., J. P. Lipincott Company, N.Y., 1981.

DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS, Sax, N. Irving, ed., Van Nostrand Reinhold Company, N.Y., 6th edition, 1984.

IARC MONOGRAPHS ON THE EVALUATION OF THE CARCINOGENIC RISK OF CHEMICALS TO MAN, Geneva: World Health Organization, International Agency for Research on Cancer, 1972-1977.

PATY'S INDUSTRIAL HYGIENE AND TOXICOLOGY, Clayton, G. D., Clayton, F. E., eds., John Wiley and Sons, N. Y., 3rd edition, Vol. 2 A-C, 1981.

REGISTRY OF TOXIC EFFECTS ON CHEMICAL SUBSTANCES, U.S. Department of Health and Human Services, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health, 1983 supplement of 1981-1982 edition, Vol. 1-3, OH, 1984.

Title 29 Code of Federal Regulations Part 1910, Subpart Z, Toxic and Hazardous Substances, Occupational Safety and Health Administration (OSHA).

THRESHOLD LIMIT VALUES FOR CHEMICAL SUBSTANCES AND PHYSICAL AGENTS IN THE WORKROOM ENVIRONMENT WITH INTENDED CHANGES, American Conference of Governmental Industrial Hygienists, OH.



MATERIAL SAFETY DATA SHEET

PRODUCT SOLUTION S0428 W DPD FREE CL2

Emergency Telephone Number

Medical (312) 920-1510 (24 hours)*

*Effective November 11, 1989, the area code will be changed to 708.

SECTION 17 BIBLIOGRAPHY

(CONTINUED)

PREPARED BY: Ricky A. Stackhouse PhD., Toxicologist

DATE CHANGED: 05/24/89

DATE PRINTED: 03/09/90



MATERIAL SAFETY DATA SHEET

PRODUCT

Emergency Telephone Number

Medical (312) 920-1510 (24 hours)*

**Effective November 11, 1989, the area code will be changed to 708.*